

**HEAVY DUTY HYDRAULIC
DISC HARROW**
Code **BEHDHH**

Perfect Tyre
Locking System



Gang Angle
Lock



Heavy Duty
Square
Tube Frame



Leaf Spring &
Tyre Assembly
for Smooth
Transportation



Features & Benefits

- **Universal Heavy Duty Hydraulic Disc Harrows are high performance, Heavy weight harrows designed to work easily in toughest operating conditions.**
- Easy to transport on the tires using the hydraulic system.
- Can be used for both, surface disc harrowing (superficial ploughing) and intensive deep ploughing.
- Used in open field working for shattering of clods, preparation of soil for sowing and burial of organic substances and crop residue.
- Available with the options of high carbon steel discs and high quality boron steel discs with 46-50 HRC hardness.
- The long lasting and reliable tires and hydraulic mechanism enable the operator to control the cut depth and facilitate in easy transportation.
- High quality bearings and hubs ensure smooth operation and put minimal load on the tractor.
- High quality seals prevent the entry of mud and water into the bearings and hubs.

Product Specifications

Description	BEHDHH-18	BEHDHH-20	BEHDHH-22	BEHDHH-24	BEHDHH-28	BEHDHH-32
Frame (mm)	Square Tube 132x132x6 & 100x100x6 T					
Gang Bolt/ Axle Type (mm)	Solid Square 40 (Rod)					
No. of Disc	18	20	22	24	28	32
Type of Disc / Blade	Boron Steel / High Carbon Steel and Plain Rear / Front Notched Disc (Optional)					
Disc Diameter (mm)	610, 660 & Thickness 4~6					
Disc Spacing (mm)	228 (9")					
Bearing Hubs	6	8				
Pull Type	Trailed					
Tyre Size	10.0/75-15.3 (8 to 16 PR)					
Gang Angle Adjustment	Manual					
Width of Cut (mm)	2100	2300	2500	2700	3100	3500
Weight (Kg.Approx) (with 660X6mm Discs)	1530	1620	1750	1835	2005	2160
Tractor Power (HP)	65~75	80~90	90~110	115~135	140~165	170~190

*The weight and working data contained in the present leaflet are supplied for information only and are not binding. Specification and size can be altered as part of ongoing product modification / improvement.