

UNIVERSAL ROTO-PUDDLER

SINGLE SPEED GEAR DRIVE

Code **BERPSSG**

Single Speed
Gear Box



Universal Super
Boron Steel Blade
(J-Type)



Side extension
levelling board



Heavy Duty
Shocker
Assembly



Features & Benefits

- **Universal Roto Puddler is a specially designed low weight implement, highly suitable for wet land puddling for paddy cultivation.**
- Puts minimum load on tractor and hence ensure better fuel efficiency.
- Suitable for wet land condition for fast and economical puddling.
- Gear drive, Single speed gearbox Compatible with 540 PTO RPM.
- J-type blades helical arrangement to ensure uniform load distribution and smooth puddling.
- Side extension levelling board to cover width of levelling. Folding option to cover corners and ease of transportation.
- Heavy duty PTO with shear bolt for gearbox overload protection.
- Easily adjust the cutting depth by using the side skid depth adjustment.
- Comes with specially made Universal Super high quality boron steel blades that last much longer than other regular rotary tiller blades.
- Specially designed levelling board to uniformly level the puddled soil.

Product Specifications

Description	BERPSSG-200/1176	BERPSSG-220/1184	BERPSSG-240/1192
Gear Box	Single Speed		
No. of Blade	76	84	92
No. of Blade Mountings	76	84	92
Type of Blade	J - Type		
Rotor Type	Seamless Pipe		
P.T.O. RPM	540		
Type of Side Drive	Gear		
Side Disc Attachment	Optional		
3-Point Linkage / Category	Cat-I & Cat-II		
Gear Box Over Load Protection	Shear Bolt		
Width of Cut (cm-Approx)	200	220	240
Weight without PTO (Kg.Approx)	360	390	420
Tractor Power (HP)	45~50	50~55	55~60

*The weight and working data contained in the present leaflet are supplied for information only and are not binding. Specification and size can be altered as part of ongoing product modification / improvement.